

ELAC

the life of sound

2022

Innovation, Craftsmanship And Superior Performance.

AWARDS



507 CONCENTRO




SOLANO FS 287



ALCHEMY SERIES



NAVIS ARB



ELAC



TABLE OF CONTENTS

CONCENTRO
[Page 08](#)

CONCENTRO M
[Page 10](#)

CONCENTRO S
[Page 12](#)

NAVIS Series
[Page 14](#)

VELA Series
[Page 16](#)

Line 300
[Page 18](#)

SOLANO Series
[Page 20](#)

CARINA Series
[Page 22](#)

UNI-FI 2.0 Series
[Page 24](#)

UNI-FI REFERENCE Series
[Page 26](#)

DEBUT 2.0 Series
[Page 28](#)

DEBUT REFERENCE Series
[Page 32](#)

SUBWOOFERS
[Page 34](#)

CINEMA Sets
[Page 36](#)

4 PI PLUS.2
[Page 38](#)

WS Series
[Page 40](#)

DISCOVERY Series
[Page 42](#)

MIRACORD Series
[Page 48](#)

ALCHEMY Series
[Page 50](#)

ACCESSORIES & MERCHANDISE
[Page 52](#)



CATEGORIES



LOUDSPEAKERS
Page 8 – 33, 38 – 41



CINEMA
Page 36 – 37



AKTIVE LOUDSPEAKER
Page 14 – 15



ELECTRONIC
Page 42 – 45, 50 – 51



SUBWOOFERS
Page 34 – 35



TURNTABLES
Page 48 – 49



ACCESSORIES
Page 52 – 57



Technical
Specifications



Product Videos,
Instructions and
Reviews



Glossary







CONCENTRO

The Ultimate Statement.

The whole is greater than the sum of its parts. The ELAC Concentro demonstrates this convincingly. It is the ultimate ELAC loudspeaker in every respect.

- Coaxial Driver with VX Technology
- Award-winning JET 5 Tweeter
- AS-XR Technology in Midrange and Low/Midrange drivers
- AS Technology in the Woofer
- Push-Push/Pull-Pull Technology
- Bi-Wiring/Bi-Amping



CONCENTRO

Color:

H x W x D: 168,0 x 46,0 x 61,0 cm

Weight: 145 kg

Recom. amp. pwr.: 80 – 600 W/channel

Impedance: 4 Ω

Frequency response: 18 – 50000 Hz

CONCENTRO

Accessories: Bi-Wiring Bridge Set,
Gloves,
Transport Aid,
Spike-Set



Designs (high-gloss finish)



Optional

Macassar and Carbon Panels





CONCENTRO M

Medium Meets Magic.

The Concentro M displays characteristic Concentro design cues but creates its own unique sonic and visual impact. Despite its slightly more compact dimensions, every aspect of its performance is on a grand scale.

- Coaxial driver with VX Technology
- Award-winning JET 5 Tweeter
- AS Technology in the Woofer
- AS-XR Technology in the Midrange Driver
- Push-Push/Pull-Pull Technology
- Bi-Wiring/Bi-Amping



CONCENTRO M

Color:

H x W x D: 145,0 x 40,6 x 53,5 cm

Weight: 90 kg

Recom. amp. pwr.: 80 – 600 W/channel

Impedance: 4 Ω

Frequency response: 24 – 50000 Hz

CONCENTRO M

Accessories: Bi-Wiring Bridge Set,
Gloves,
Mounting Set,
Spike-Set




Designs (high-gloss finish)



Optional

Macassar and Carbon Panels





CONCENTRO S

S Means Superior.

The dream that inspires. The idea that drives progress. The love of detail that creates magic. The ELAC Concentro S Series is a piece of artistry made to let you enjoy music with all senses.

- Coaxial stepX-JET is the Acoustic Centerpiece
- Compact JET 5c Tweeter
- AS-XR Technology
- Exchangeable DCRs (Directivity Control Rings) allow acoustic adjustment (optimization)
- Convex shaped Baffle
- Bi-Wiring/Bi-Amping



CONCENTRO S 509

Color:

H x W x D: 134,0 x 32,5 x 46,0 cm

Weight: 42,8 kg

Recom. amp. pwr.: 60 – 500 W/channel

Impedance: 4 Ω

Frequency response: 22 – 50000 Hz

Accessories: Bi-Wiring Bridge Set, Gloves, Spike-Set

CONCENTRO S 507

Color:

H x W x D: 120,0 x 27,0 x 38,0 cm

Weight: 36,8 kg

Recom. amp. pwr.: 60 – 500 W/channel

Impedance: 4 Ω

Frequency response: 26 – 50000 Hz

Accessories: Bi-Wiring Bridge Set, Gloves, Spike-Set

CONCENTRO S 503

Color:

H x W x D: 40,0 x 22,5 x 37,2 cm

Weight: 13,4 kg

Recom. amp. pwr.: 60 – 500 W/channel

Impedance: 4 Ω

Frequency response: 34 – 50000 Hz

Accessories: Bi-Wiring Bridge Set, Gloves



CONCENTRO CENTER

Color:

H x W x D: 22,0 x 89,0 x 30,5 cm

Weight: 23 kg

Recom. amp. pwr.: 60 – 500 W/channel

Impedance: 4 Ω

Frequency response: 26 – 50000 Hz

Accessories: Bi-Wiring Bridge Set, Gloves




Designs (high-gloss finish)



Optional

Speaker Stand LS 100





NAVIS Series

Fully Active, Elegant And Breathtaking.

The Navis active speaker Series is the perfect navigator in your quest for musical treasure. Navis never ceases to inspire with its transparent delivery and musicality.

- Stylish Design Language with trapezoid basic Shape
- Powerful BASH and conventional Class A/B Amplifiers, 300 Watts
- Characteristic bottom plate assembly made of die-cast aluminum
- Analog Switch Design for Personal Sound Optimization
- Coaxial midrange/tweeter system
- AirX² Technology



NAVIS ARF-51

Color:

H x W x D: 102,5 x 18,9 x 24,0 cm

Weight: 21 kg

Amp power: 300 W

Frequency response: 43 – 28000 Hz

Accessories: Spike-Set,
Base Plate

NAVIS ARB-51

Color:

H x W x D: 34,5 x 18,9 x 24,0 cm

Weight: 8,1 kg

Amp power: 300 W

Frequency response: 44 – 28000 Hz



Designs (high-gloss finish)



Optional

NAVIS TRANSMITTER AIR-X²,
Discovery Connect, Speaker Stand LS 80,
Bass Reflex Plugs





VELA Series

Breathtaking Design, Remarkable Lifestyle.

Their outstanding style meets the highest standards of contemporary interior design. However, they also let you experience music with all the senses. The VELA Series loudspeakers are more than just state of the art. They are also characterful performers.

- High-gloss Lacquer or real Wood Veneer
- Trapezoid Cabinets that are angled rearward
- JET 5 Tweeter with optimized Waveguide
- AS-XR Technology
- Van den Hul internal Wiring
- Bi-Wiring/Bi-Amping



VELA FS 409

Color: ○ ● ●
H x W x D: 130,7 x 27,6 x 33,2 cm
Weight: 32,1 kg
Recom. amp. pwr.: 40 – 450 W/channel
Impedance: 4 Ω
Frequency response: 28 – 50000 Hz
Accessories: Base Plate, Bi-Wiring Bridge Set, Spike-Set

VELA FS 408

Color: ○ ●
H x W x D: 114,2 x 27,6 x 33,2 cm
Weight: 27,1 kg
Recom. amp. pwr.: 40 – 400 W/channel
Impedance: 4 Ω
Frequency response: 28 – 50000 Hz
Accessories: Base Plate, Bi-Wiring Bridge Set, Spike-Set

VELA FS 407

Color: ○ ● ●
H x W x D: 100 x 22,9 x 26,6 cm
Weight: 19,1 kg
Recom. amp. pwr.: 40 – 300 W/channel
Impedance: 4 Ω
Frequency response: 30 – 50000 Hz
Accessories: Base Plate, Bi-Wiring Bridge Set, Spike-Set



VELA BS 403

Color: ○ ● ●
H x W x D: 36,2 x 19,1 x 24,0 cm
Weight: 7,1 kg
Recom. amp. pwr.: 40 – 200 W/channel
Impedance: 4 Ω
Frequency response: 41 – 50000 Hz
Accessories: Bi-Wiring Bridge Set

VELA CC 401

Color: ○ ● ●
H x W x D: 19,1 x 65,3 x 23,3 cm
Weight: 11,8 kg
Recom. amp. pwr.: 40 – 250 W/channel
Impedance: 4 Ω
Frequency response: 32 – 50000 Hz
Accessories: Bi-Wiring Bridge Set


Designs (high-gloss finish)



Optional

Magnetically held Grilles,
 Speaker Stand LS 60, Bassreflex Plugs





Line 300

No Reason To Hide.

When the original ELAC Elegant loudspeaker first filled the room with sound more than 25 years ago, listeners closed their eyes and lost themselves in the music. What felt like a fleeting moment was the start of an amazing success story.

- Compact Loudspeaker; Big Performance
- Aluminum Cabinets with a high-gloss lacquered Finish
- Minimized Front Baffle for maximum Dispersion
- JET 5 Tweeter
- AS-XR Technology
- Powerful Magnet System



BS 312

Color:

H x W x D: 20,8 x 12,3 x 28,2 cm

Weight: 7,2 kg

Recom. amp. pwr.: 50 – 150 W/channel

Impedance: 4 Ω

Frequency response: 42 – 5000 Hz

Accessories: Metal Grilles

BS 302

Color:

H x W x D: 12,1 x 9,1 x 11,1 cm

Weight: 1,3 kg

Recom. amp. pwr.: 20 – 120 W/channel

Impedance: 4 Ω

Frequency response: 80 – 35000 Hz

Accessories: Metal Grilles

BS 302 Halterung

Color:

Features: Swivelling, Inclinal, Optional available



Designs (high-gloss finish)



Optional

Speaker Stand LS 60





SOLANO Series

Your Style, Your Loudspeaker, Your Music.

The Solano Series is made for you. With looks that fit your lifestyle of today and tomorrow. It also delivers timeless sound: open, accurate, with depth and character ... a true all-rounder.

- Timeless, Subtle Design
- JET 5 Tweeter
- Performance Artists
- Premium Materials
- AS Technology
- Bi-Wiring/Bi-Amping



SOLANO FS 287

Color:

H x W x D: 98,5 x 26,0 x 30,0 cm

Weight: 19 kg

Recom. amp. pwr.: 40 – 300 W/channel

Impedance: 4 Ω

Frequency response: 30 – 50000 Hz

Accessories: Bi-Wiring Bridge Set, Crossbar

SOLANO BS 283

Color:

H x W x D: 33,1 x 19,0 x 24,8 cm

Weight: 8 kg

Recom. amp. pwr.: 40 – 200 W/channel

Impedance: 4 Ω

Frequency response: 41 – 50000 Hz

Accessories: Bi-Wiring Bridge Set

SOLANO CC 281

Color:

H x W x D: 19,0 x 50,0 x 24,8 cm

Weight: 12 kg

Recom. amp. pwr.: 40 – 250 W/channel

Impedance: 4 Ω

Frequency response: 34 – 50000 Hz

Accessories: Bi-Wiring Bridge Set



Designs (high-gloss finish)



Optional

Magnetically held Grilles,
Speaker Stand LS 60,
Bassreflex Plugs





CARINA Series

Distinctive & Elegant.

The fresh look of satin lacquered cabinets and the extraordinary sound are the ingredients of a new ELAC classic. With its striking yet elegant design, the Carina Series delivers thrilling, powerful and dynamic sound.

- Satin Finish
- Air Motion Transformer, folded according to the JET Principle
- Woofer with Aluminum Diaphragm
- Meticulously Designed Crossover
- Exceptional Musicality and Dynamics
- Bi-Wiring/Bi-Amping



CARINA FS 247.4

Color:

H x W x D: 107,0 x 24,0 x 24,5 cm

Weight: 16,4 kg

Recom. amp. pwr.: 30 – 250 W/channel

Impedance: 6 Ω

Frequency response: 34 – 30000 Hz

Accessories: Bi-Wiring Bridge Set, Crossbar, Spikes

CARINA BS 243.4

Color:

H x W x D: 31,9 x 21,6 x 23,5 cm

Weight: 6,7 kg

Recom. amp. pwr.: 30 – 150 W/channel

Impedance: 6 Ω

Frequency response: 46 – 30000 Hz

Accessories: Bi-Wiring Bridge Set

CARINA CC 241.4

Color:

H x W x D: 20,5 x 62,0 x 24,0 cm

Weight: 10,2 kg

Recom. amp. pwr.: 30 – 200 W/channel

Impedance: 6 Ω

Frequency response: 50 – 30000 Hz

Accessories: Bi-Wiring Bridge Set



Designs (silk matt lacquer finish)



Optional

Magnetically held Grilles,
Speaker Stand LS 60,
Bassreflex Plugs





Uni-Fi 2.0

A New Chapter In Coherent Sound.

new look for a familiar face – the Uni-Fi 2.0 proves beyond doubt that a leap forward is always a good idea. More life, more impact, more Uni-Fi – meet Uni-Fi 2.0.

- Concentric Midrange/Tweeter Chassis
- Consistent Sound Quality at all Listening Positions
- Silk Dome Tweeter
- High Material and Manufacturing Standards for perfect Attention to Detail
- Internally Braced Cabinets
- Front Facing Bassreflex Ports (UB52 & UC52)



UF52

Color: ●
H x W x D: 98 x 18,5 x 27,5 cm
Weight: 17,8 kg
Recom. amp. pwr.: 40 – 140 W/channel
Impedance: 6 Ω
Frequency response: 42 – 35000 Hz
Accessories: Grilles,
Crossbar

UB52

Color: ●
H x W x D: 34,6 x 18,5 x 27,5 cm
Weight: 7,7 kg
Recom. amp. pwr.: 40 – 140 W/channel
Impedance: 6 Ω
Frequency response: 46 – 35000 Hz
Accessories: Grilles

UC52

Color: ●
H x W x D: 18,5 x 54,4 x 27,5 cm
Weight: 11,2 kg
Recom. amp. pwr.: 40 – 140 W/channel
Impedance: 6 Ω
Frequency response: 48 – 35000 Hz
Accessories: Grilles



Designs (décor)



Optional

Bassreflex Plugs





Uni-Fi REFERENCE

High Score And New Reference.

The Uni-Fi Series has been carefully refined. Following the great success of the first Uni-Fi Series and its successor, Uni-Fi 2.0, we now present the Uni-Fi Reference Series. This series elevates the concept of the Uni-Fi Series to a new level.

- Contemporary Design in two color Variants
- Magnetically attached Grilles
- Proven Uni-Fi Technology
- Concentric Midrange/Tweeter Chassis
- Dual Flared Bassreflex Ports
- Bi-Wiring/Bi-Amping



UFR52

Color:

H x W x D: 99,5 x 23,4 x 33,8 cm

Weight: 19,4 Kg

Recom. amp. pwr.: 140 W/channel

Impedance: 6 Ω

Frequency response: 40 – 35000 Hz

Accessories: Magn. held
Grilles

UBR62

Color:

H x W x D: 35,9 x 20,8 x 33,4 cm

Weight: 9,6 Kg

Recom. amp. pwr.: 140 W/channel

Impedance: 6 Ω

Frequency response: 41 – 35000 Hz

Accessories: Magn. held
Grilles

UCR52

Color:

H x W x D: 18,5 x 52,7 x 33,4

Weight: 12,2 Kg

Recom. amp. pwr.: 140 W/channel

Impedance: 6 Ω

Frequency response: 47 – 35000 Hz

Accessories: Magn. held
Grilles




Designs (silk matt lacquer finish and décor)



Optional

Bassreflex Plugs





DEBUT 2.0

Exceeds Expectations Every Time.

Acclaimed all over the world, the ELAC Debut Series has been writing history for many years. The Debut 2.0 marks a new chapter in this success story. Offering significantly improved sound performance, the ELAC Debut 2.0 Series remains a genuine all-round talent.

- Newly Developed Chassis
- Newly Designed Waveguides
- Redesigned Cabinet
- Reconfigured Crossovers
- Silk Dome Tweeter
- Extended Low-Frequency Response



Debut F6.2

Color: ●
H x W x D: 109,7 x 19,5 x 26.6 cm
Weight: 19,9 kg
Recom. amp. pwr.: 30 – 150 W/channel
Impedance: 6 Ω
Frequency response: 39 – 35000 Hz
Accessories: Grilles

Debut F5.2

Color: ●
H x W x D: 101,6 x 18,0 x 23,4 cm
Weight: 15,7 kg
Recom. amp. pwr.: 20 – 140 W/channel
Impedance: 6 Ω
Frequency response: 42 – 35000 Hz
Accessories: Grilles

Debut A4.2

Color: ●
H x W x D: 12,5 x 18,0 x 23,4 cm
Weight: 2,5 Kg
Recom. amp. pwr.: 20 – 120 W/channel
Impedance: 8 Ω
Frequency response: 180 – 2000 Hz
Accessories: Grilles



Debut C6.2

Color: ●
H x W x D: 19,3 x 53,9 x 26,6 cm
Weight: 10,5 kg
Recom. amp. pwr.: 20 – 120 W/channel
Impedance: 8 Ω
Frequency response: 55 – 35000 Hz
Accessories: Grilles

Debut C5.2

Color: ●
H x W x D: 18,0 x 54,0 x 22,0 cm
Weight: 8,8 kg
Recom. amp. pwr.: 20 – 120 W/channel
Impedance: 8 Ω
Frequency response: 55 – 35000 Hz
Accessories: Grilles



Construction of the tweeter chassis of the Debut 2.0 Series.

Designs (décor)



Optional

Bassreflex Plugs





Debut B6.2

Color: ●
H x W x D: 37,5 x 19,5 x 26,6 cm
Weight: 8,3 kg
Recom. amp. pwr.: 20 – 120 W/channel
Impedance: 6 Ω
Frequency response: 44 – 35000 Hz
Accessories: Grilles

Debut B5.2

Color: ●
H x W x D: 34,1 x 18,0 x 23,4 cm
Weight: 5,6 kg
Recom. amp. pwr.: 20 – 120 W/channel
Impedance: 6 Ω
Frequency response: 46 – 35000 Hz
Accessories: Grilles

Debut OW4.2

Color: ●
H x W x D: 32,4 x 20,0 x 10,0 cm
Weight: 4,2 kg
Recom. amp. pwr.: 20 – 80 W/channel
Impedance: 6 Ω
Frequency response: 70 – 35000 Hz
Accessories: Grilles



Debut SUB 3030

Color: ●
H x W x D: 46,2 x 44,8 x 44,8 cm
Weight: 22,8 kg
Max. Amp. pwr.: 500 W
Accessories: BLE Control App for iOS & Android

Debut SUB 3010

Color: ●
H x W x D: 36,4 x 34,3 x 34,3 cm
Weight: 14,6 kg
Max. Amp. pwr.: 200 W
Accessories: BLE Control App for iOS & Android

Debut S10.2

Color: ●
H x W x D: 34,3 x 34,3 x 34,3 cm
Weight: 14,6 kg
Max. Amp. pwr.: 100 W

ELAC SUB-Control 2.0

Available for IOS[®] and Android[®]





DEBUT REFERENCE

Debut At The Highest Level.

Reference is not just part of the name! It is the defining characteristic of exclusive products that offer even better performance and premium design features. The Debut Reference Series is a logical evolutionary step based on new, creative impulses and the successful Debut 2.0 Series.

- Wood-effect vinyl in two color combinations
- Painted front baffle with magnetically attached grilles
- Elaborate cabinet structure
- Silk dome tweeter with waveguide
- Die-cast aluminum woofer chassis for improved stiffness
- Optimized sound



DFR52

Color:

H x W x D: 101,6 x 18,5 x 24,2 cm

Weight: 16,7 kg

Recom. amp. pwr.: 30 - 150 W

Impedance: 6 Ω

Frequency response: 42 – 35000 Hz

Accessories: Magn. held
Grilles

DBR62

Color:

H x W x D: 35,9 x 20,8 x 27,5 cm

Weight: 8,2 kg

Recom. amp. pwr.: 30 - 150 W

Impedance: 6 Ω

Frequency response: 42 – 35000 Hz

Accessories: Magn. held
Grilles

DCR52

Color:

H x W x D: 18,5 x 52,7 x 24,2 cm

Weight: 10,1 kg

Recom. amp. pwr.: 30 - 150 W


Impedance: 6 Ω

Frequency response: 42 – 35000 Hz

Accessories: Magn. held
Grilles



Designs (silk matt lacquer finish and décor)





SUBWOOFERS

Bring the bass!

Compact designs that deliver spectacular performance: ELAC subwoofers integrate seamlessly into the overall sound and give music and movies some added punch.

- High-Quality Finishes
- Diverse Connection Options
- Pro-Audio Options
- Traditional and Innovative Control Concepts
- High-efficiency BASH® Amplifier Technology
- Ultimate Craftsmanship



SUB 3070

Color: ●
H x W x D: 43,5 x 51,8 x 47,7 cm
Weight: 40 kg
Max. Amp. pwr.: 1200 W
Frequency response: 18 – 180 Hz
Accessories: BLE Control App for iOS & Android


SUB 2070

Color: ○ ●
H x W x D: 47,5 x 36,0 x 38,5 cm
Weight: 32 kg
Max. Amp. pwr.: 600 W
Frequency response: 18 – 180 Hz
Accessories: BLE Control App for iOS & Android


SUB 2030

Color: ○ ●
H x W x D: 35,6 x 30,0 x 31,5 cm
Weight: 14 kg
Max. Amp. pwr.: 350 W
Frequency response: 20 – 180 Hz

SUB 2030 REAR VIEW



APP-SOLUTE CONTROL




Exemplary screenshots from the „SUB Control“ app.

Designs (lacquer finish)



SUB 3070: high-gloss finish
 SUB 2070: high-gloss finish
 SUB 2030: silk mat finish





CINEMA Sets

Action!

Hear every spoken word, feel every moment, and get goose bumps – add life to your entertainment experience, enjoy incredibly realistic sound, and disprove the possibilities of the ELAC Cinema Sets.

- 5.1 Surround Setup
- Ultra-compact
- Exceptional Style
- For TV, Movies, Music and Gaming
- Powerful Low-Frequency Response
- Premium Feel



CINEMA 10.2 / Sat

Color: ●
 H x W x D: 13,2 x 8,8 x 10,2
 Weight: 1,3 Kg
 Recom. amp. pwr.: 20 – 120 W/channel
 Impedance: 6 Ω
 Frequency response: 90 – 21000 Hz

CINEMA 10.2 / Debut S10.2

Color: ●
 H x W x D: 34,3 x 34,3 x 34,3
 Weight: 14,6 kg
 Max. Amp. pwr.: 200 W

CINEMA 10.2 / SAT CENTER

Color: ●
 H x W x D: 8,8 x 29,0 x 10,2
 Weight: 2,0 Kg
 Recom. amp. pwr.: 20 – 150 W/channel
 Impedance: 6 Ω
 Frequency response: 85 – 21000 Hz



CINEMA 30 / BS 302

Color: ○ ●
 H x W x D: 12,1 x 9,1 x 11,1 cm
 Weight: 1,3 kg
 Recom. amp. pwr.: 20 – 120 W/channel
 Impedance: 4 Ω
 Frequency response: 80 – 35000 Hz
 Accessories: Metal Grilles


CINEMA 30 / SUB 2030

Color: ○ ●
 H x W x D: 35,6 x 30,0 x 31,5 cm
 Weight: 14 kg
 Max. Amp. pwr.: 350 W
 Frequency response: 20 – 180 Hz



Designs (eloxal, lacquer finish)





4 Pi PLUS.2

Incredible Highs.

With the 4 Pi Plus.2, you'll experience something unique whenever you press play. Compared to conventional designs, the 4 Pi Plus.2 super-tweeter is omni-directional and adds the space behind the speakers to the soundstage. This creates room-filling sound accompanied by a silky and incredibly airy high-frequency performance that is simply unmatched.

- Extraordinary Design
- High-gloss Lacquered Aluminum Cabinet
- Room-filling Sound
- Extremely thin, knurled Aluminum Ribbon
- Flexible Adjustment Options
- The ideal Add-On for High-Quality Loudspeakers



4 Pi PLUS.2

Color: ●
 H x W x D: 14,3 x 15,0 x 25,0 cm
 Weight: 3,4 kg
 Recom. amp. pwr.: 20 – 400 W/channel
 Impedance: 6 Ω
 Frequency response: 3500 – 50000 Hz



Designs (high-gloss finish)





WS Series

On-Wall For More Freedom.

Elegant design; superior sound: the WS Series includes discrete and room-friendly wall-mounted speakers that deliver audiophile sound from your wall.

- Satin Finish
- Compact, Low-Profile Cabinets
- JET 5 Tweeter and AS-XR Technology in the WS 1600 Series
- Silk Dome Tweeter and AS Technology in the WS 1400 Series
- Easy to mount, Upright or Horizontally
- Extremely versatile



WS 1665

Color:

H x W x D: 65,0 x 22,0 x 9,8 cm

Weight: 7,8 kg

Recom. amp. pwr.: 20 – 200 W/channel

Impedance: 4 Ω

Frequency response: 46 – 50000 Hz

Accessories: Two magn. held Grilles

WS 1645

Color:

H x W x D: 40,0 x 22,0 x 9,8 cm

Weight: 4,7 kg

Recom. amp. pwr.: 20 – 150 W/channel

Impedance: 4 Ω

Frequency response: 50 – 50000 Hz

Accessories: Two magn. held Grilles

WS 1465

Color:

H x W x D: 65,0 x 22,0 x 9,8 cm

Weight: 7,3 kg

Recom. amp. pwr.: 20 – 180 W/channel

Impedance: 4 Ω

Frequency response: 48 – 30000 Hz

Accessories: Two magn. held Grilles



WS 1445

Color:

H x W x D: 40,0 x 22,0 x 9,8 cm

Weight: 4,3 kg

Recom. amp. pwr.: 20 – 140 W/channel

Impedance: 4 Ω

Frequency response: 52 – 30000 Hz

Accessories: Two magn. held Grilles

WS 1425

Color:

H x W x D: 22,0 x 22,0 x 9,8 cm

Weight: 2,5 kg

Recom. amp. pwr.: 20 – 100 W/channel

Impedance: 4 Ω

Frequency response: 70 – 35000 Hz

Accessories: Two magn. held Grilles

WS WALL AND CEILING BRACKET

Wall and ceiling mounts available for the entire WS Series.

WS Series can also be used for Atmos applications.

Designs (silk matt lacquer finish)



Optional

Wall and Ceiling Mounts available for the entire WS Series.







DISCOVERY SERIES™ DS-S101-G



DISCOVERY Series

Time To Discover.

Always online to discover music and maximize convenience. With innovative technology in a compact form factor, we are opening up new horizons in network audio.

- Convenient Control with free Apps
- Use of Streaming Services
- Bluetooth Technology
- Music Playback from Local Storage
- Multiroom Technology
- AirPlay Technology



DISGrillesY Music Server

Color: ●

H x W x D: 4,7 x 21,0 x 11,0 cm

Weight: 0,9 kg

Max bitrate/resolution: 192 kHz / 24 Bit

Streaming service: Tidal

Supported End-Points: Discovery, Spotify Connect, Roon Ready, Bluetooth, AirPlay

DISGrillesY Music Server

Playback formats: WAV, AIFF, FLAC, ALAC, OGG, MP3, AAC

Multiroom-Support: Wired and Wireless



DISGrillesY CONNECT

Color: ●

H x W x D: 3,5 x 19,5 x 10,0 cm

Weight: 0,4 kg

Room correction: ABC (Auto Blend & Calibrate)

End-Point f. Standards: Discovery, Roon Ready, Spotify Connect, AirPlay, Bluetooth

Max bitrate/resolution: 192 kHz / 24-bit

Outputs: analog, digital and AirX²

DISGrillesY DS-A101-G

Color: ●

H x W x D: 5,6 x 10,4 x 28,5 cm

Weight: 2,5 kg

End-Point f. Standards: Discovery, Spotify, Connect, AirPlay, Bluetooth, Roon-Ready, DLNA

Max bitrate/resolution: 192 kHz / 24 Bit



ELAC

CELEBRATING 95 YEARS
OF ELAC

- A1 - Fink
- Trouble's What You're In
(Union Chapel, London)
- A2 - Agnes Obel
- Riverside
- A3 - Ryland Angel &
David Merrill
- Psalm 114



side A

45 R.P.M.
180 gr. Audiophile
Pressing

INAK 78131 2LP
GEMA
LC 13921

DIRECT METAL
DMM
MASTERING
inakustik





MIRACORD Series

Miracord Loves Vinyl, Vinyl Loves Miracord.

The year 2016 marked ELAC's exciting comeback to the world of vinyl with the Miracord 90 turntable as a tribute to the company's history. Since the company's 90th anniversary, ELAC has added more turntables that all share one thing in common: the perfect combination of excellent sound and high-quality design.

- Cutting-edge Design with High ELAC Recognition Value
- Solid Platter ensures exceptional Refinement
- Sophisticated Drive System for flawless Reproduction
- Premium Materials
- Precisely Balanced Tonearms
- Maximum Flexibility in Terms of Cartridge Choice



MIRACORD 80

Color: ● ●

H x W x D: 14,8 x 47,0 x 37,4 cm

Weight: 14,0 kg

Tonearm: Carbon tube

Drive: DC / belt drive

Specifics: Ingot drive with 5.6 kg heavy Aluminium Turntable

MIRACORD 60

Color: ●

H x W x D: 14,5 x 42,2 x 36,0 cm

Weight: 8,2 kg

Tonearm: Carbon tube

Drive: DC / belt drive

Specifics: Belt Drive, Mass Drive, Dust Grilles incl.

MIRACORD 50

Color: ●

H x W x D: 14,0 x 42,0 x 36,0 cm

Weight: 5,5 kg

Tonearm: Aluminium tube

Drive: DC / belt drive

Specifics: Integrated Phono Amp, dustgrilles and AT91 syst. in the scope of delivery



For listening enjoyment



Optional

Miracord Phono Cable, MC 60 system KIT AT 95 for Miracord 60,
Dustgrilles and LMB Cable for Miracord 80






ALCHEMY Series

The Art Of The Alchemists – Rediscovered.

The ELAC team has re-imagined the Alchemy Series from the ground up. Alchemy combines diverse technologies with exceptional quality to deliver a high-end sound experience.

- Fully Discrete Audio Stages
- Linear Power Supplies with Toroidal Transformers for Analog Precision
- Ultra-Low-Noise FET Gain Stages for Amplification and Equalization
- Numerous Inputs and Setting Options
- Compact, Timeless Design
- Analog Technology, DAC and Streaming at the very Highest Level



ALCHEMY DDP-2

Color: ●

H x W x D: 5,0 x 4,4 x 3,9 cm

Weight: 6,35 kg

Function: Preamplifier with DAC and streaming functionality

Features: Analogue (sym. and unsym.) and digital inputs, PCM, DSD, DoP, Roon Ready, Spotify Connect, AirPlay

ALCHEMY PPA-2

Color: ●

H x W x D: 5,0 x 4,4 x 3,8 cm

Weight: 5,44 kg

Function: Phono preamp

Features: Two independent inputs, suitable for MM and MC, continuously adjustable input impedance, RCA and XLR outputs

ALCHEMY DPA-2

Color: ●

H x W x D: 5,0 x 4,4 x 3,8 cm

Weight: 6,35 kg

Function: Power amplifier

Max. Output power pro Channel: Stereo: 325 W/channel at 4 Ω, Mono: 625 W at 8 Ω

Power Amplifier

DPA-2

Phono Preamp


PPA-2

DAC / Preamp
Streamer

DDP-2



Designs (Eloxal)





ACCESSORIES

The Perfect Add-Ons.

Our accessories offer a wide choice of speaker stands, cables or grilles to further enhance your ELAC experience.

- Speaker Stands
- Loudspeaker Cables
- Loudspeaker Grilles
- Navis Transmitter
- Spike Sets
- Ceiling Brackets



SPEAKER STAND LS 100

Color: ●

H x W x D: 68,5 x 29,5 x 40,0

Weight: 9,5 kg

Empf. für: CONCENTRO S 503 and CONCENTRO CENTER

SPEAKER STAND LS 80

Color: ●

H x W x D: 60,0 x 24,5 x 26,5

Weight: 7,0 kg

Empf. für: NAVIS

SPEAKER STAND LS 60

Color: ○ ●

H x W x D: 71,3 x 27,7 x 33,7 cm

Weight: 6,5 kg

Empf. für: VELA, SOLANO, CARINA and BS312

LS 60 Black and White each available in high-gloss and matt



Bass reflex plug

Color: ●

Grilles

Color: ●

Recommended for: VELA, SOLANO, CARINA

NAVIS TRANSMITTER AIR-X²TW-BK

Color: ●

H x W x D: 3,9 x 9,2 x 9,4 cm

Weight: 0,2 kg

Function: Wireless transmission of analogue signals to NAVIS speakers





SENSIBLE SPEAKER CABLE SPwr.

Length: 3 or 4,5 m

REFERENCE SPEAKER CABLE SPwr.R

Length: 3 or 4,5 m

MIRACORD PHONO CABLE

Length: 1,8 m



LMB Cable - only for MIRACORD 80 / 90

Function: To use the high-quality power supply integrated in the PPA-2 power supply unit to operate the Miracord 80 and 90 turntables.

ULTIMATE SPIKE SET (M8 Thread)

Function: For the targeted coupling of loudspeaker to the subfloor, the avoidance of resonances and thus the acoustical enhancement

WS WALL AND CEILING BRACKET

Function: For overhead mounting of WS speakers on the ceiling or secure wall mounting.



ELAC ERIC



MERCHANDISING

ELAC and You

Want to take your ELAC experience beyond the world of sound? Enjoy “The Life of Sound” in every situation.

- T-shirts for Women


- Enamel Mug

- CD Celebrating 95 Years of Elac

- T-shirts for Men

- Anniversary Book


- LP Celebrating 95 Years of Elac





ELAC


The life of sound.



elac.com



[Youtube](https://www.youtube.com/ELAC)



[Facebook](https://www.facebook.com/ELAC)



[Instagram](https://www.instagram.com/ELAC)




alchemy


CARINA


CONCENTRO


NAVIS

Debut
Reference


DEBUT


DISCOVERY

MIRACORD


SOLANO
280


Uni-Fi
Reference


CONCENTRO


Uni-Fi
NO


VELA

CONCENTRO

ELAC

Deviations in design, colours, errors and technical changes reserved.

For technical details, please consult www.elac.com


iOS™ and iPhone™ are registered trademarks of Cisco Systems, Inc., USA, licensed to Apple Inc., USA.

Android™ is a registered trademark of Google Inc., USA.

Bluetooth™ is a registered trademark of Bluetooth Special Interest Group, USA.

Photos, image rights & authors:

Products: Marco Knopp - lichtundfeder.de, Genie & Wahnsinn oHG and Elac GmbH, Design and image processing: Genie & Wahnsinn oHG - We reserve the right to make mistakes or modifications. Page 9 @katharzina Bialasiwicz fotografhe.eu - stock.adobe.com, Page 11 ©Dariusz Jarzabek - stock.adobe.com, Page 15 ©2mmedia - stock.adobe.com, Page 21 ©Photographee.eu - stock.adobe.com, Page 23 ©Max Krasnov - stock.adobe.com, Page 25 ©archideaphoto - stock.adobe.com, Page 31 ©Nut - stock.adobe.com, Page 39 ©Dariusz Jarzabek - stock.adobe.com, Page 40 ©denisismagilov - stock.adobe.com, Page 50 ©denisismagilov - stock.adobe.com



ELAC The life of sound.

ELAC Electroacoustic GmbH
Fraunhoferstraße 16 • 24118 Kiel
Tel. +49-431-64774-0 • www.elac.de

ELAC Americas Inc.
11145 Knott Ave. Suites E & F
Cypress • CA 90630
Tel.: +1-714-252-8843 • www.elac.com